

**SAFETY DATA SHEET**

Page 1 of 5

Issued: 28.08.2008

Product name: **ZINC WIRE**

Date of revision:

Number of revision:

1. Product and company identification:

1.1.	Product name:	ZINC WIRE - EN ISO 14919	Ident. Nr.: P3010701
			Department: Metalurgija
1.2.	Application:	Anticorrosion protection, electrical condensers.	
1.3.	Supplier data (manufacturer, importer, distributor):		
1.3.1.	Name:	CINKARNA CELJE, d.d.	
1.3.2.	Address and telephone number:	Kidričeva 26, 3001 CELJE – SLOVENIJA, +386 (0)3 3427 6000	
1.3.4.	Emergency telephone number:	+386 (0)3-3427 6184	

2. Composition / information on ingredients:

2.1	Common chemical name:						
2.2.	Hazardous components:	none					
Chemical name:	Index	CAS number.	EC number	Conc.(wt.%)	Hazard labelling	R - phrases	S - phrases

3. Hazards identification:

3.1	Hazard:	This product is not a hazardous substance.
3.2.	Specific hazards:	By contact with acids or alkaloids is coming to a chemical reaction, by which the hydrogen gas arises. By warming up over 650°C, ZnO gas exhales.
3.3.	Main symptoms:	Exposure to ZnO gas can cause coughing, weakness and headache. This trouble will disappear in 1 – 2 days.

4. First-aid measures:

4.1	General instructions:	Measures are necessary only by inhalation of zinc oxides or dust or by scald with melted zinc. The injured person must be taken to fresh air, get medical attention.
4.2.	Inhalation:	Provide fresh air. In case of special symptoms, seek medical assistance.

Product name: ZINK WIRE

4.3.	Skin contact:	By burning skin washing out the wound with fresh water, get medical attention.
4.4.	Eye / mucous membrane contact:	Flush eyes with large amounts of water. If irritation persists, get medical attention.
4.5.	Inquisition:	By weakness inhale fresh air. Get medical attention.
4.6.	First aid at worksite:	Provide fresh air. Rinse with water.

5. Fire-fighting measures:

5.1.	Extinguishing media:	By surrounding fire no limits. Fire as result of melted zinc must be extinguished with sand or special means of class D. Water and CO ₂ are not permitted.
5.2.	Specific hazards:	Explosion, widening of fire by extinguishing with water.
5.3.	Protection equipment:	Protective mask, helmet, fire safe clothes and gloves.

6. Accident outflow measures:

6.1.	Personal precautions:	Zinc wire is a solid substance, outflow is not possible.
6.2.	Environmental precautions:	/
6.3.	Methods for cleaning up:	/

7. Handling and storage:

7.1.	Handling:	/
7.1.1.	Precautions:	/
7.1.2.	Technical measures:	/
7.1.3.	Safe handling advise:	/
7.2.	Storage:	In a dry and ventilated storage.
7.2.1.	Safety storage conditions:	Original packaging, in a dry and ventilated storage.
7.2.2.	Incompatible products to separate:	Acids and alkaloids.
7.2.3.	Packaging demands:	Protective wrapping foil, drum, pallet suitable for forklift handling.
7.2.4.	Protection against static electricity:	Protective wrapping foil, drum, pallet suitable for forklift handling.

8. Exposure controls / personal protection:

8.1.	Technical measures:	Generally technical safety measures for zinc wire handling.
8.2.	Control parameters:	/

Product name: ZINK WIRE

8.3.	Personal protection equipment:	Protective clothes, gloves, cap, shoes and glasses.
8.3.1.	Respiratory organ protection :	Ventilated room.
8.3.2.	Skin and body protection:	Protective work clothing.
8.3.3.	Hand protection:	Protective gloves.
8.3.4.	Eye protection:	Glasses.
8.3.5.	Hygiene measures:	The usual safety at work precautionary measures.

9. Physical and chemical properties:

9.1.	Form:	Silver coloured metal wire.
9.2.	Odour:	Without
9.3.	pH - Value:	/
9.4.	Melting point / range:	419°C
9.5.	Boiling point / range:	906°C
9.6.	Flash point:	/
9.7.	Inflammability:	Near the boiling point.
9.8.	Autoignition temperature:	Near the boiling point
9.9.	Explosion properties:	Possible by contact of melted zinc and water.
9.10.	Oxidising properties:	Possible in the presence of damp.
9.11.	Vapour pressure:	1.33 kPa by 487°C
9.12.	Density:	7200 kg/m ³
9.13.	Solubility :	Insoluble
9.14.	Partition coefficient:	/
9.15.	Other information:	/
9.16.	Note:	/

10. stability and reactivity:

10.1.	Stability and reactivity:	Stable under recommended storage conditions, reactive in contact with acids and alkaloids.
10.1.1.	Conditions to avoid:	Storage in a damped room.
10.1.2.	Materials to avoid:	Sourness, alkaloids, damp, cooper and iron.

Cinkarna Celje, SAFETY DATA SHEET	Page 4 of 5
Product name: ZINK WIRE	

10.2.	Hazardous decomposition products:	Zinc oxides by melting.
10.3.	Other information:	/

11. Toxicological information:

11.1.	Acute toxicity:	none
11.2.	Chronic toxicity; long term toxicity:	none
11.3.	Sensitisation:	none
11.4.	Specific effects:	none

12. Ecological information:

12.1.	Mobility:	Zinc wire is ecologically immaculate.
12.2.	Degradability:	/
12.3.	Bioaccumulation:	/
12.4.	Ecotoxicity	No negative effects on environment.
12.5.	Other negative effects on the environment:	/

13. Disposal considerations:

13.1.	Product:	Zinc wire can be remade in totality by the normal production process.
13.2.	Contaminated packaging:	Packaging is not contaminated. The palettes and paper can be burned out.

14. Transport information:

14.1.	Land (RID,ADR, CFR):	Not classified
14.2.	UN number:	/
14.3.	Product / goods designation:	/
14.4.	Product / goods class:	/
14.5.	Classification cods:	/
14.6.	Substance packaging group:	/
14.7.	Hazard label:	/

Cinkarna Celje, SAFETY DATA SHEET	Page 5 of 5
Product name: ZINK WIRE	

15. Regulatory information:		
15.1.	EC classification, letter-symbol, hazard inscriptions, S and R (including text), special, regulations:	
15.1.1.	Classification:	/
15.1.2.	Indication:	/
15.1.3.	Warnings:	/
15.1.4.	Notices:	/
15.1.5.	Special provisions:	/
15.2.	Possible existence of local regulations:	/
16. Other information:		
16.1.	Workers qualifying :	Safety at Work Certificate.
16.2.	Recommended use and possible restrictions:	No limitations.
16.3.	Instructions:	Technical instructions by producer.
16.4.	Sources :	Official gazette of Republic Slovenia, Nr. 73/1999.
<p>The information is based on our knowledge of the product at the time of compilation of this safety data sheet. If the product is used in a way that is not compliant with the recommended use, the user / buyer shall solely be held responsible for any resulting damage. Furthermore, the information in this safety data sheet does not relieve the user of any obligation to comply with all legislation relevant for the field of the users' activity.</p>		